Safety Data Sheet

according to Regulation (EC) No 1907/2006



Copper Bath cyan. JE550

Revision date: 29.07.2019 Product code: 83 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Copper Bath cyan. JE550

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Plating agents and metal surface treating agents

1.3. Details of the supplier of the safety data sheet

Company name: Jentner Plating Technology GmbH

Street: Johann-Staib-Strasse 2 Place: D-75179 Pforzheim

Telephone: +49 (0)7231 418094 0 Telefax: +49 (0)7231 418094 77

e-mail: info@jentner.de

Contact person: Department of Chemistry

Internet: www.jentner.de

Responsible Department: Poison Information Center of the University of Freiburg.

1.4. Emergency telephone 0049 (0)761 19240 - 24 h german and english

number:

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 2

Skin corrosion/irritation: Skin Corr. 1A

Serious eve damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Acute 1 Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

Fatal if swallowed or if inhaled.

Causes severe skin burns and eye damage. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Potassium cyanide Copper (I) cyanide

Signal word: Danger

Pictograms:







Hazard statements

H300+H330 Fatal if swallowed or if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Copper Bath cyan. JE550

Revision date: 29.07.2019 Product code: 83 Page 2 of 10

H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see 4 on this label).

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.
P320 Specific treatment is urgent (see 4 on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to an officially registered waste disposal company.

Special labelling of certain mixtures

EUH032 Contact with acids liberates very toxic gas.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
151-50-8	Potassium cyanide					
	205-792-3					
	Acute Tox. 1, Acute Tox. 1, Skin Corr. 1A, Aquatic Acute 1, Aquatic Chronic 1 (M-Factor = 10); H330 H300 H314 H400 H410 EUH031					
544-92-3	Copper (I) cyanide					
	208-883-6					
	Acute Tox. 1, Aquatic Acute 1; H300 H400					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

First aider: Pay attention to self-protection!

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Copper Bath cyan. JE550

Revision date: 29.07.2019 Product code: 83 Page 3 of 10

After inhalation

After inhaling vapours, first symptoms of poisoning may develop hours later, so always consult a doctor. No direct artificial respiration to be given by first aider.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Put victim at rest, cover with a blanket and keep warm. Do not leave affected person unattended. In case of breathing difficulties administer oxygen. If victim is at risk of losing consciousness, position and transport on their side.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

after ingestion: Headaches and dizziness may occur, proceeding to fainting or unconsciousness; large doses may result in coma and death.

4.3. Indication of any immediate medical attention and special treatment needed

The following first aid and treatment recommendations should already be available to all first responders and doctors, before the work with cyanides. It can be used for First Aid performance. Act quickly and keep calm. Self-respect. Remove soiled or soaked clothing immediately and dispose safely. Leave the danger area. Possible signs of poisoning: headache, dizziness, drowsiness, nausea, convulsions, unconsciousness, respiratory disorders, respiratory arrest, cardiac arrest.dispose of safely. Concerned from the danger area. Possible signs of poisoning: headache, dizziness, drowsiness, nausea, convulsions, unconsciousness, respiratory disorders, respiratory arrest, cardiac arrest.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder. Foam.

Unsuitable extinguishing media

Extinguishing media which must not be used for safety reasons: Water spray. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

Potassium oxide; Nitrogen oxides; Hydrogen cyanide, cyanogen. Decomposition begins at 200 ° C

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

The product itself does not burn. Do not allow water used to extinguish fire to enter drains or waterways. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

6.2. Environmental precautions

Do not empty into drains; dispose of this material and its container in a safe way.

6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Copper Bath cyan. JE550

Revision date: 29.07.2019 Product code: 83 Page 4 of 10

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink, smoke, sniff.

The product should be handled only by trained personnel.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep locked up and out of the reach of children.

Keep only in the original container in a cool, well-ventilated place away from acids.

Hints on joint storage

Do not store together with: Acid.

Further information on storage conditions

Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

Plating agents and metal surface treating agents

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
151-50-8	Potassium cyanide (as cyanide)	-	5		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
151-50-8	Potassium cyanide					
Worker DNEL	., long-term	dermal		0,14 mg/kg bw/day		
Worker DNEL, acute		dermal		4,03 mg/kg bw/day		
Worker DNEL, long-term		inhalation	systemic	0,94 mg/m ³		
Worker DNEL, acute		inhalation	systemic	12,5 mg/m ³		

PNEC values

CAS No	Substance				
Environmental compartment Va					
151-50-8	Potassium cyanide				
Freshwater 0,001 r					
Freshwater (intermittent releases)		0,005 mg/l			
Marine water		0,001 mg/l			
Freshwater sediment 0,004		0,004 mg/kg			
Marine sediment 0,004 mg					
Micro-organisms in sewage treatment plants (STP) 0,05 mg/l		0,05 mg/l			
Soil 0,007 mg/k					

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Copper Bath cyan. JE550

Revision date: 29.07.2019 Product code: 83 Page 5 of 10

8.2. Exposure controls











Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Do not eat, drink, smoke or sneeze at the workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glases.

Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

Use personal protection equipment.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: bitter almonds.

pH-Value (at 20 °C): 11 - 12

Changes in the physical state

Initial boiling point and boiling range:

Ca. 98 °C

Sublimation point:

not determined

Flammability

Solid: not applicable

Explosive properties

not explosive.

Lower explosion limits: Upper explosion limits:

Oxidizing properties

Not oxidising.

Density (at 20 °C): 1,05 g/cm³
Water solubility: unlimited

Solubility in other solvents

not determined

Partition coefficient: not determined
Viscosity / dynamic: not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Copper Bath cyan. JE550

Revision date: 29.07.2019 Product code: 83 Page 6 of 10

Viscosity / kinematic: not determined
Vapour density: not determined
Evaporation rate: not determined
Solvent separation test: not applicable

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.3. Possibility of hazardous reactions

Contact with acids liberates very toxic gas. Hydrocyanic acid (hydrocyanic acid).

10.4. Conditions to avoid

Thermal decomposition can lead to the escape of irritating gases and vapours.

10.5. Incompatible materials

Acids and oxidizing agents (chlorates, nitrates, Permanganate, iodine, peroxides, etc.). Under the action of acids (pH 3) hydrocyanic acid is released, which is highly toxic and flammable and can form explosive mixtures with air.

10.6. Hazardous decomposition products

Hydrocyanic acid (hydrocyanic acid). Ammonia.

Further information

Absorbs carbon dioxide from the air, forming hydrogen cyanide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Fatal if swallowed.

Toxic in contact with skin or if inhaled.

ATEmix calculated

ATE (oral) 14,3 mg/kg; ATE (inhalation vapour) 1,00 mg/l; ATE (inhalation aerosol) 0,100 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
151-50-8	Potassium cyanide					
	oral	LD50	5 mg/kg	Rat		
	inhalation vapour	ATE	0,05 mg/l			
	inhalation aerosol	ATE mg/l	0,005			
544-92-3	Copper (I) cyanide					
	oral	LD50 mg/kg	1270	Rat		

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Copper Bath cyan. JE550

Revision date: 29.07.2019 Product code: 83 Page 7 of 10

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

LD50 7,5 mg/kg Rat oral.

LD50 33 mg/kg Rapid dermal.

The statement is derived form the properties of the components.

SECTION 12: Ecological information

12.1. Toxicity

Cyanide poisons are strong for all living things.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
151-50-8	Potassium cyanide						
	Acute fish toxicity	LC50 mg/l	0,57		Oncorhynchus mykiss (Rainbow trout)	Arch.Environ.Cont am.	
	Acute crustacea toxicity	EC50 mg/l	0,25		Daphnia pulex (water flea)	Gestis	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Refer to manufacturer or supplier for information on recovery or recycling.

Waste disposal number of used product

110301 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER

MATERIALS; NON-FERROUS HYDRO-METALLURGY; sludges and solids from tempering

processes; wastes containing cyanide; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1935

14.2. UN proper shipping name: CYANIDE SOLUTION, N.O.S. (Potassium cyanide, copper cyanide)

14.3. Transport hazard class(es): 6.1

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Copper Bath cyan. JE550

Revision date: 29.07.2019 Product code: 83 Page 8 of 10

14.4. Packing group: II
Hazard label: 6.1

6

Classification code: T4
Special Provisions: 274 525
Limited quantity: 100 mL
Transport category: 2
Hazard No: 60
Tunnel restriction code: D/E

Other applicable information (land transport)

Special provisions: 274 525

F4

Transport category: 2

Inland waterways transport (ADN)

14.1. UN number: UN 1935

14.2. UN proper shipping name: CYANIDE SOLUTION, N.O.S. (Potassium cyanide, copper cyanide)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1



Classification code: T4

Special Provisions: 274 525 802 Limited quantity: 100 mL

Other applicable information (inland waterways transport)

E4

Marine transport (IMDG)

14.1. UN number: UN 1935

14.2. UN proper shipping name: CYANIDE SOLUTION, N.O.S. (copper-and potassium cyanides)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1



Marine pollutant:

Special Provisions:

Limited quantity:

EmS:

P

274

100 mL

F-A, S-A

Other applicable information (marine transport)

Special provisions: -

Ė4

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1935

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Copper Bath cyan. JE550

Revision date: 29.07.2019 Product code: 83 Page 9 of 10

14.2. UN proper shipping name: CYANIDE SOLUTION, N.O.S. (copper-and potassium cyanides)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1



Special Provisions: A3 Limited quantity Passenger: 1 L

IATA-packing instructions - Passenger: 654
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 661
IATA-max. quantity - Cargo: 60 L

Other applicable information (air transport)

E4 : Y641

Special provisions: A3

14.5. Environmental hazards



Danger releasing substance: Potassium cyanide Copper (I) cyanide

SECTION 15: Regulatory information

ENVIRONMENTALLY HAZARDOUS:

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU H1 ACUTE TOXIC

(SEVESO III):

Additional information: E1

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,8,9,10,11,14.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

Jentner Plating Technology GmbH Safety Data Sheet

according to Regulation (EC) No 1907/2006



Copper Bath cyan. JE550

Revision date: 29.07.2019 Product code: 83 Page 10 of 10

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 2; H300	Calculation method
Acute Tox. 2; H330	Calculation method
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 1; H410	Calculation method

Relevant H and EUH statements (number and full text)

H300 Fatal if swallowed.

H300+H330 Fatal if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.
EUH032 Contact with acids liberates very toxic gas.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)